

57637.1362.ST25.txt
SEQUENCE LISTING

<110> Tweedle, et al.
<120> New Compounds Useful as Metal Chelators
<130> 57637-1362
<150> PCT/US2004/042710
<151> 2004-12-20
<160> 4
<170> PatentIn version 3.3
<210> 1
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Description of Artificial Sequence: analogs of somatostatin

<220>
<221> MOD_RES
<222> (1)..(1)
<223> Na1

<220>
<221> MOD_RES
<222> (3)..(3)
<223> DTrp

<220>
<221> MOD_RES
<222> (6)..(6)
<223> NH2

<400> 1
Cys Thr Lys Val Cys Thr
1 5

<210> 2
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Description of Artificial Sequence: analogs of somatostatin

<220>
<221> MOD_RES
<222> (1)..(1)
<223> Na1

<220>
<221> MOD_RES
<222> (3)..(3)
<223> DTrp

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> ol

<400> 2

Cys Thr Lys Val Cys Thr
 1 5

<210> 3
 <211> 6
 <212> PRT
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: analogs of somatostatin

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> DPhe

<220>
 <221> MOD_RES
 <222> (3)..(3)
 <223> DTrp

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> OH

<400> 3

Cys Tyr Lys Thr Cys Thr
 1 5

<210> 4
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: LHRH analog

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> pyroGlutamic acid

<220>
 <221> MOD_RES
 <222> (4)..(4)
 <223> Xaa=Ser, NMeSer or Thr

<220>
 <221> MOD_RES

57637.1362.ST25.txt

<222> (5)..(5)

<223> DLys

<220>

<221> MOD_RES

<222> (6)..(6)

<223> Xaa=Leu, NMeLeu, t-ButylGly

<220>

<221> MOD_RES

<222> (7)..(7)

<223> Xaa=Arg, Arg(Et2), Cit, Lys(isopropyl)

<220>

<221> MOD_RES

<222> (9)..(9)

<223> Xaa=Gly-NH2, NHEthyl, Azagly-NH2

<400> 4

Glu His Trp Xaa Tyr Xaa Xaa Pro Xaa

1

5